

KYOCERA PA4500x 1200 x 1200 DPI A4

Brand : KYOCERA

Product code: 110C0Y3NLO

Product name : PA4500x

KYOCERA PA4500x. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 45 ppm, Duplex printing. Display: LCD. Network ready. Product colour: White



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100,1000 Mbit/s
Print resolution black	1200 x 1200 DPI	Near Field Communication (NFC)	✗
Colour *	✗	Bluetooth	✗
Print technology *	Laser	Security algorithms	HTTPS, IPPS, IPSec, SNMPv3
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	45 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	22.5 ppm		
Warm-up time	16 s		
Time to first page (black, normal)	5.3 s		
Features		Performance	
Maximum duty cycle *	150000 pages per month	Internal memory *	512 MB
Recommended duty cycle	5000 - 20000 pages per month	Maximum internal memory	2500 MB
Printing colours *	Black	Compatible memory cards	SD, SDHC
Number of print cartridges *	1	Built-in processor	✓
Page description languages *	Epson LQ, IBM ProPrinter, JPEG, OpenXPS, PCL 5e, PCL 6, PCL XL, PCLm, PDF, PWG, PostScript 3, TIFF, URF, XPS	Processor family	ARM Cortex
Printer fonts	Barcode, Bitmap, PCL	Processor model	Cortex-A53
Number of printer fonts	93	Processor frequency	1400 MHz
Replacement cartridges	TK-3400	Processor cores	2
		Sound pressure level (printing)	54 dB
		Sound power level (standby)	30 dB
Input & output capacity		Design	
Total number of input trays *	1	Market positioning *	Business
Total input capacity *	500 sheets	Product colour *	White
Total output capacity *	250 sheets	Built-in display *	✓
Paper tray 1 input capacity	500 sheets	Display	LCD
Paper input type	Cassette, Paper tray	Colour display	✗
Multi-Purpose tray	✓	Touchscreen	✗
Multi-Purpose tray input capacity	100 sheets	Display number of lines	5 lines
Maximum number of input trays	5	Control type	Buttons
Maximum input capacity	2600 sheets	Certification	GS, TÜV, CE
Paper handling		Power	
Maximum ISO A-series paper size *	A4	Power consumption (printing) *	605.5 W
Maximum print size	216 x 356 mm	Power consumption (standby)	8.4 W
Paper tray media types *	Plain paper	Power consumption (PowerSave)	0.5 W
Multi-purpose tray media types	Legal, Letter	AC input voltage	220 - 240 V
ISO A-series sizes (A0...A9) *	A4, A5	AC input frequency	50 - 60 Hz
ISO B-series sizes (B0...B9)	B5		
Non-ISO print media sizes	Legal, Letter		
Custom media width	140 - 216 mm		
Custom media length	210 - 356 mm		
Paper tray media weight	60 - 120 g/m ²		
Multi-Purpose Tray media weight	60 - 220 g/m ²		
		System requirements	
		Windows operating systems supported	✓
		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
		Linux operating systems supported	✓

Paper handling		System requirements	
Duplex media weight	60 - 120 g/m²	Other operating systems supported	ChromeOS
Ports & interfaces		Sustainability	
Standard interfaces	RJ-45, USB 2.0	Sustainability certificates	Blue Angel, ENERGY STAR
Direct printing *	✓	Weight & dimensions	
USB port *	✓	Width	390 mm
USB 2.0 ports quantity	2	Depth	416 mm
USB connector	USB Type-A / USB Type-B	Height	308 mm
Optional connectivity	Ethernet, Parallel, Wireless LAN	Weight	14.6 kg
Network		Packaging data	
Network ready	✓	Package width	549 mm
Wi-Fi *	✗	Package depth	494 mm
Ethernet LAN *	✓	Package height	420 mm
Cabling technology	10/100/1000Base-T(X)	Package weight	18.5 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	6000 pages
		Power cord included	✓
		USB cable included	✗



0632983080030



632983080030

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-JUL-2023. Prints or copies of Information are only valid on the printed Publication date